

Literaturliste

Aquakulturen – ein vernachlässigtes Tierschutzthema

Die Probleme der Massenzucht von Fischen

von Henriette Mackensen

Literatur

- (1) Abbott, J.C.; Dill, L.M. (1989): The relative growth of dominant and subordinate juvenile steelhead trout (*Salmo Gairdneri*) fed equal rations. *Behaviour* 108:104–113.
- (2) Adams, C.E.; Huntingford, F.A.; Turnbull, J.F.; Beattie, C. (1998): Alternative competitive strategies and the cost of food acquisition in juvenile Atlantic salmon (*Salmo salar*). *Aquaculture* 167:17–26.
- (3) Alanara, A.; Winberg, S.; Brannas, E.; Kiessling, A.; Hoglund, E.; Elofsson, U. (1998): Feeding behaviour, brain serotonergic activity levels, and energy reserves of Arctic char (*Salvelinus alpinus*) within a dominance hierarchy. *Can. J. Zool.* 76:212–220.
- (4) Anras, M.L.B.; Lagardere, J.P. (2004): Measuring cultured fish swimming behaviour: first results on rainbow trout using acoustic telemetry in tanks. *Aquaculture* 240:175–186.
- (5) Arends, R.J.; Mancera, J.M.; Munoz, J.L.; Bonga, S.E.W.; Flik, G. (1999): The stress response of the gilthead sea bream (*Sparus aurata* L.) to air exposure and confinement. *J. Endocrinol.* 163: 149–157.
- (6) Ashley, P.J. (2007): Fish Welfare: Current issues in aquaculture. *Applied Animal Behaviour Science* 104:199–235.
- (7) Barreto RE, Volpato GL, Pottinger TG (2006): The effect of elevated blood cortisol levels on the extinction of a conditioned stress response in rainbow trout. *Horm Behav* 50:484–488.
- (8) Bell, G.; Blanco, A.; Roy, B.; Robertson, D.; Henderson, J.; Prickett, R. (2005): Optimisation of diets for Atlantic cod broodstock; effect of arachidonic acid on egg and larval quality. *The British Marine Finfish Association Annual Workshop 2005*. Oban, Scotland.
- (9) Bjerkås, E., Bjørnestad, E., Breck, O. & Waagbø, R. (2001): Water temperature regimes affect cataract development in smolting Atlantic salmon, *Salmo salar* L. *J. Fish Dis.*, 24: 281–291.
- (10) Boujard, T., Labbe, L., Auperin, B. (2002): Feeding behaviour, energy expenditure and growth of rainbow trout in relation to stocking density and food accessibility. *Aquacult. Res.* 33, 1233–1242.
- (11) Braithwaite, V.A., Huntingford, F.A. (2004): Fish and welfare: do fish have the capacity for pain perception and suffering? *Anim. Welfare* 13, S87–S92.
- (12) Braithwaite VA, Boulcott P (2007): Pain perception, aversion and fear in fish. *Dis Aquat Org* 75:131–138
- (13) Braithwaite V.A.; Salvanes, A.G.V. (2010): Aquaculture and restocking: implications for conservation and welfare. *Animal Welfare*, 19: 139–149.
- (14) Breck, O. (2004): Histidine nutrition and cataract development in Atlantic salmon, *Salmo salar* L. Dr. Scient. Thesis, University of Bergen, 83 pp.
- (15) Burgos, A.; Valenzuela, A.; Gonzalez, M.; Klempau, A. (2004): Non-specific defence mechanisms of rainbow trout during artificial photoperiod. *Bulletin of the European Association of Fish Pathologists* 24: 240–245.
- (16) Butler, J.R.A. (2002): Wild salmonids and sea louse infestations on the west coast of Scotland: sources of infection and implications for the management of marine salmon farms. *Pest Management Science* 58:595–608.
- (17) Chandroo, K.P., Duncan, I.J.H., Moccia, R.D. (2004a): Can fish suffer? Perspectives on sentience, pain, fear and stress. *Appl. Anim. Behav. Sci.* 86, 225–250.
- (18) Chandroo, K.P., Cooke, S.J., McKinley, R.S., Moccia, R.D. (2005): Use of electromyogram telemetry to assess the behavioural and energetic responses of rainbow trout, *Oncorhynchus mykiss* (Walbaum) to transportation stress. *Aquacult. Res.* 36, 1226–1238.
- (19) Chervova L.S. (1997): Pain sensitivity and behavior of fishes. *J Ichthyol* 37:98–102.
- (20) CIWF (Compassion in World Farming) (2009): The Welfare of Farmed Fish. Briefing Paper. http://www.ciwf.org.uk/includes/documents/cm_docs/2009/f/farmed_fish_briefing_aug2009.pdf.
- (21) Cossins, A. R. and Crawford, D. L. (2005): Opinion – Fish as models for environmental genomics. *Nat. Rev. Genet.* 6,324–333.
- (22) Deutscher Tierschutzbund (2009): Stellungnahme zu den Entwürfen des Ständigen Ausschusses des Europäischen Übereinkommens zum Schutz von Tieren in landwirtschaftlichen Tierhaltungen bezüglich der Anhänge zu diversen Fischarten vom 29.10.2009.
- (23) Dibattista, J., Levesque, H., Moon, T., Gilmour, K. (2005): An investigation of factors that contribute to the low growth rates of subordinate rainbow trout (*Oncorhynchus mykiss*). In: Proceedings of the 44th Annual Meeting of the Canadian Society of Zoologists.
- (24) Dietrich M, Hofmann MH, Bleckmann H (2002): Effects of dopaminergic drugs and telencephalic ablation on eye movements in the goldfish, *Carassius auratus*. *Brain Res Bull* 57:393–395.
- (25) Duarte, C.M.; Marba, N.; Holmer, M. (2007): Ecology. Rapid domestication of marine species, *Science*,316(5823):382–3, gefunden in Fish-facts 7: Fischzucht, Fair-fish

- (26) Dunlop, R., Laming, P. (2005): Mechanoreceptive and nociceptive responses in the central nervous system of goldfish (*Carassius auratus*) and trout (*Oncorhynchus mykiss*). *J. Pain* 6, 561–568.
- (27) EFSA (2008a): Scientific Report prepared by the Working Group on Trout Welfare. Aspects of Husbandry Systems for Farmed Trout. Annex I to the EFSA Journal 796, 1–97.
- (28) EFSA (2008b): Scientific Report prepared by the Working Group on Seabass/seabream Welfare on animal welfare Aspects of Husbandry Systems for Farmed European seabass and gilthead seabream. Annex I to the EFSA Journal 844: 1–89.
- (29) EFSA (2008c): Scientific Report of the Panel on Animal Health and Welfare on a request from European Commission on animal Welfare Aspects of Husbandry Systems for Farmed Atlantic salmon. The EFSA Journal 736, 1–122.
- (30) EFSA (2008d): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on Animal Welfare Aspects of Husbandry Systems for Farmed European Eel. The EFSA Journal 809: 1–18.
- (31) EFSA (2008e): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on animal welfare aspects of husbandry systems for farmed fish: carp. The EFSA Journal 843: 1–28.
- (32) EFSA (2009a): Scientific Opinion of the Panel on Animal Health and Welfare on a request from European Commission on General approach to Fish Welfare and to the concept of sentience in fish. The EFSA Journal 954, 1–26.
- (33) EFSA (2009b): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on the species-specific welfare aspects of the main systems of stunning and killing of farmed tuna. The EFSA Journal 1072: 1–53.
- (34) EFSA (2009c): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on Species-specific welfare aspects of the main systems of stunning and killing of farmed carp. The EFSA Journal 1013: 1–37.
- (35) EFSA (2009d): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on welfare aspect of the main systems of stunning and killing of farmed Atlantic salmon. The EFSA Journal 1012: 1–77.
- (36) EFSA (2009e): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on Species-specific welfare aspects of the main systems of stunning and killing of farmed rainbow trout. The EFSA Journal 1013: 1–55.
- (37) EFSA (2009f): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on welfare aspect of the main systems of stunning and killing of farmed turbot. The EFSA Journal (2009) 1073:1–34.
- (38) EFSA (2009g): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on welfare aspect of the main systems of stunning and killing of farmed seabass and seabream. The EFSA Journal 1010: 1–52.
- (39) EFSA (2009h): Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on welfare aspect of the main systems of stunning and killing of farmed eel (*Anguilla anguilla*). The EFSA Journal 1014: 1–42.
- (40) Ehrensing RH, Michell GF, Kastin AJ (1982) Similar antagonism of morphine analgesia by MIF-1 and naloxone in *Carassius auratus*. *Pharmacol Biochem Behav* 17:757–761.
- (41) Ellis, T. (2001): What is stocking density. *Trout News*, CEFAS 32, 35–37.
- (42) Ellis, T. (2002): The effects of stocking density on the welfare of farmed rainbow trout. In: Report of the Workshop on Farmed Fish Welfare held on Monday 28th October 2002, DEFRA.
- (43) Ellis, T., North, B., Scott, A.P., Bromage, N.R., Porter, M., Gadd, D. (2002): The relationships between stocking density and welfare in farmed rainbow trout. *J. Fish Biol.* 61, 493–531.
- (44) Ersdal, C.; Midtyling, P.J.; Jarp, J. (2001): An epidemiological study of cataracts in seawater farmed Atlantic salmon. *Dis Aquat Org.* 45: 229–236.
- (45) EU-Kommission (2009): Mitteilung der Kommission an das Europäische Parlament und den Rat: Auf dem Weg zu einer nachhaltigen Zukunft für die Aquakultur. Neuer Schwung für die Strategie für die nachhaltige Entwicklung der europäischen Aquakultur KOM (2009)162 endgültig vom 8.4.2009.
- (46) Fair-Fish (2010): Sorgt Aquakultur für das Wohl der Tiere? Und hilft sie wirklich den Meeren? *Fish-facts 7: Fischzucht*.
- (47) FAO (2008): The state of world fisheries and aquaculture 2008, abrufbar unter <ftp://ftp.fao.org/docrep/fao/011/i0250e/i0250e.pdf>
- (48) FAWC (1979): Press statement, 5. Dezember 1979.
- (49) FAWC (Farmed Animal Welfare Council) (1996): Report on the Welfare of farmed fish. Surbiton, Surrey.
- (50) Fivestad, S., Binde, M. (1994): Effects of reduced waterflow in softwater on Atlantic salmon smolts (*Salmo salar* L.) while maintaining oxygen at constant level by oxygenation of the inlet water. *Aquac. Eng.* 13, 211–238.
- (51) FRS (2007): Fisheries Research Services. Scottish fish farms annual production survey 2007.
- (52) Gjedrem, T.; Gjerde, B.; Rye, M. (2005): Lessons from developing breeding programs for aquaculture species. Conference:lessons from the past to optimise the future. European aquaculture society: Special Publication No 35.
- (53) Gornati, R., Papis, E., Rimoldi, S., Terova, G., Saroglia, M., Bernardini, G. (2004): Rearing density influences the expression of stress-related genes in sea bass (*Dicentrarchus labrax* L.). *Gene* 341, 111–118.
- (54) Greaves, K., Tuene, S. (2001): The form and context of aggressive behaviour in farmed Atlantic halibut (*Hippoglossus hippoglossus* L.). *Aquaculture* 193, 139–147.
- (55) Hallermann, E.M.; McLean, E.; Fleming, I.A. (2007): Effects of growth hormone transgenes on the behaviour and welfare of aquaculture fishes: A review identifying research needs. *Applied Animal Behaviour Science* 104: 265–294.
- (56) Hansen, M.M. (2002): Estimating the long-term effects of stocking domesticated trout into wild brown trout (*Salmo trutta*) populations: an approach using microsatellite DNA analysis of historical and contemporary samples. *Molecular Ecology* 11:1003–1015.
- (57) Hargis Jr, W.J. (1991): Disorders of the eye in finfish. *Annu. Rev. Fish Dis.*, 1: 95–117.
- (58) Hastein, T. (2004): Animal welfare issues relation to aquaculture. Global conference on animal welfare - an OIE initiative.
- (59) Heuch, P.A.; Björn, P.A.; Finstad, B.; Holst, J.C.; Asplin L; Nilsen, F. (2005): A review of the Norwegian "National Action Plan Against Salmon Lice on Salmonids": The effect on wild salmonids. *Aquaculture* 246: 79–92.
- (60) Hoglund E, Weltzien FA, Schjolden J, Winberg S, Ursin H, Doving KB (2005): Avoidance behavior and brain monoamines in fish. *Brain Res* 1032:104–110.
- (61) Holm, J.C., Refstie, T., Bo, S. (1990): The effect of fish density and feeding regimes on individual growth rate and mortality in rainbow trout (*Oncorhynchus mykiss*). *Aquaculture* 89, 225–232.
- (62) Huntingford, F.A.; Adams, C.; Braithwaite, V.A.; Kadri, S.; Pottinger, T.G.; Sandoe, P.; Turnbull, J.F. (2006): Current issues in fish welfare. *Journal Compilation, The Fisheries Society of the British Isles*.
- (63) Iversen, M., Finstad, B., McKinley, R.S., Eliassen, R.A., Carlsen, K.T., Ejven, T. (2005): Stress responses in Atlantic salmon (*Salmo salar*

- L.) smolts during commercial well boat transports, and effects on survival after transfer to sea. *Aquaculture* 243, 373–382.
- (64) Iwama, G.K. (2007): The Welfare of Fish. *Disease of Aquatic Organisms*, 75:155–158.
- (65) Iwama, G.K.; Pickering, A.D.; Sumpter, J.P.; Schreck, C.B. (eds.) (1997): Fish stress and health in aquaculture. Society for experimental biology seminar series, vol. 62, Cambridge University Press, UK, p. 278.
- (66) Jansen GA, Green NM (1970): Morphine metabolism and morphine tolerance in goldfish. *Anesthesiology* 32:231-235.
- (67) Johnson, S.C., Treasurer, J.W., Bravo, S., Nagasawa, K., Kabata, Z. (2004): A review of the impact of parasitic copepods on marine aquaculture. *Zool. Stud.* 43, 229–243.
- (68) Jorgensen, E.H., Christiansen, J.S., Jobling,M. (1993): Effects of stocking density on food intake, growth performance and oxygen consumption in Arctic charr (*Salvelinus alpinus*). *Aquaculture* 110, 191–204.
- (69) Juell, J.E., Oppedal, F., Boxaspen, K., Taranger, G.L. (2003): Submerged light increases swimming depth and reduces fish density of Atlantic salmon *Salmo salar* L. in production cages. *Aquacult. Res.* 34, 469–477.
- (70) Juell, J-E.; Johannson, D.; Oppedal, F. (2006): Effects of the cage environment and social interactions on the swimming behaviour and welfare of atlantic salmon. *Fiskeriforskning Report* 5/2006; 91–100.
- (71) Koppang, E.O., Haugavoll, E., Hordvik, I., Aune, L., Poppe, T.T. (2005): Vaccine-associated granulomatous inflammation and melanin accumulation in Atlantic salmon, *Salmo salar* L., white muscle. *J. Fish. Dis.* 28, 13–22.
- (72) Koppang, E.O., Haugavoll, E., Hordvik, I., Poppe, T.T., Bjerkas, I. (2004): Granulomatous uveitis associated with vaccination in the Atlantic salmon. *Vet. Pathol.* 41, 122–130.
- (73) Kristiansen, T.S., Ferno, A., Holm, J.C., Privitera, L., Bakke, S., Fosseidengen, J.E. (2004): Swimming behaviour as an indicator of low growth rate and impaired welfare in Atlantic halibut (*Hippoglossus hippoglossus* L.) reared at three stocking densities. *Aquaculture* 230, 137–151.
- (74) Krkosek, M.; Lewis, M.A.; Morton, A.; Frazer, L.N.; Volpe, J.P. (2006): Epizootics of wild fish induced by farm fish. *Proceedings of the National Academy of Sciences* 103: 15506–15510.
- (75) Lambert, Y.; Dutil, J.-D. (2001): Food intake and growth of adult Atlantic Cod reared under different conditions of stocking density, feeding frequency and size grading. *Aquaculture* 192:233–247.
- (76) Lymbery, P. (2002): In Too Deep-the Welfare of Intensively Farmed Fish. Compassion in World farming, Petersfield Hampshire.
- (77) Matthews, M.A.; Poole, W.R.; Thompson, C.E.; McKillen, J.; Ferguson, A.; Hindar, K.; Wheeland, K.F. (2000): Incidence of hybridisation between Atlantic salmon, *Salmo salar*, and brown trout, *Salmo trutta*, in Ireland. *Fisheries Management and Ecology* 7: 337–347.
- (78) Midling, K. (2005): Capture-based farming of cod - the Norwegian history and state of the art. Conference: cod farming in Nordic countries, Reykjavik, Iceland, 2005.
- (79) Montero, D., Izquierdo,M.S., Tort, L., Robaina, L., Vergara, J.M. (1999): High stocking density produces crowding stress altering some physiological and biochemical parameters in gilthead seabream, *Sparus aurata*, juveniles. *Fish Physiol. Biochem.* 20, 53–60.
- (80) Moreira PSA, Volpatto GL (2004): Conditioning of stress in Nile tilapia. *J Fish Biol* 64:961-969.
- (81) Moreira PSA, Pulman KGT, Pottinger TG (2004): Extinction of a conditioned response in rainbow trout selected for high or low responsiveness to stress. *Horm Behav* 46:450–457.
- (82) Naylor, R.; Burke, M. (2005): Aquaculture and ocean resources: Raising tigers of the sea. *Annual Review of Environmental Research* 30:185–218.
- (83) Odling-Smee L, Braithwaite VA (2003): The influence of habitat stability on landmark use during spatial learning in the 3-spined stickleback. *Anim Behav* 65:701–707
- (84) OIE (2009): Aquatic Animal Health Code, Introduction to recommendations for the welfare of farmed fish. Chapter 7.1.
- (85) Olsen, R.E., Sundell, K., Myklebust, R., Mayhew, T.M. & Ringø, E. (2005): Acute stress alters intestinal function of rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Aquaculture* 250 (1–2):480–495.
- (86) Oppedal, F., Juell, J.E., Taranger, G.L., Hansen, T. (2001): Artificial light and season affects vertical distr swimming behaviour of post-smolt Atlantic salmon in sea cages. *J. Fish Biol.* 58, 1570–1584.
- (87) Poppe, T.T.; Barnes, A.C.; Midtlyng, P.J. (2002): Welfare and ethics in fish farming. *Bull Eur Ass Fish Pathol* 22(2): 148–151.
- (88) Portavella, M., Torres, B., Salas, C. (2004): Avoidance response in goldfish: Emotional and temporal involvement of medial and lateral telencephalic pallium. *J. Neurosci.* 24, 2335–2342.
- (89) Portero A, Garcia-Isidoro M, Barrallo A, González-Sarmiento R, Rodriguez RE (1999): Expression of ZFORD1, δ -opioid receptor, in the central nervous system of the zebrafish (*Danio rerio*). *J Comp Neurol* 412:429–438.
- (90) Refstie, T. (1977): Effect of density on growth and survival of rainbow trout. *Aquaculture* 11, 329–334.
- (91) Rodríguez F, López JC, Vargas JP, Broglia C, Gómez Y, Salas C (2002a): Spatial memory and hippocampal pallium through vertebrate evolution: insights from reptiles and teleost fish. *Brain Res Bull* 57:499–503.
- (92) Rodríguez F, López JC, Vargas JP, Gómez Y, Broglia C, Salas C (2002b): Conservation of spatial memory function in the pallial forebrain of reptiles and ray-finned fishes. *J Neurosci* 22:2894–2903.
- (93) Rose, J.D. (2002): The Neurobehavioral nature of fishes and the question of awareness and pain. *Rev. Fish. Sci.* 10, 1–38.
- (94) Rosten, T.; Rosseland, B.O.; Salbu, B.; Olsvik, P.; Steen, J.E. (2005): Documentation of fish welfare: experiences and recommendation of fish transportation in open-, closed-, and combined well boat transports. Conference: lessons from the past to optimise the future. European Aquaculture Society: Special Publication No. 35.
- (95) Schäfer, P. (2010): Das rettende Netz; Zeitwissen, Mai 2010
- (96) Schmidt, T. (2002): Die Haltung von Fischen in Aquakulturen - ein expandierender Markt mit Risiken. Der Kritische Agrarbericht 2002; 210–215.
- (97) Sneddon LU (2002): Anatomical and electrophysiological analysis of the trigeminal nerve in a teleost fish, *Oncorhynchus mykiss*. *Neurosci Lett* 319:167–171.
- (98) Sneddon LU (2003a): Trigeminal somatosensory innervation of the head of a teleost fish with particular reference to nociception. *Brain Res* 972:44–52.
- (99) Sneddon LU (2003b): The evidence for pain in fish: the use of morphine as an analgesic. *Appl Anim Behav Sci* 83:153–162.
- (100) Sneddon, L.U., Braithwaite, V.A., Gentle, M.J. (2003): Do fishes have nociceptors? Evidence for the evolution of a vertebrate sensory system. *Proc. R. Soc. Lond. Ser. B-Biol. Sci.* 270, 1115–1121.
- (101) Sommer, A.I.; Johnsen, L-H.; Toften, H. (2001): Sammenhenger mellom intensivert drift og IPN-utbrodd hos smolt. *Norsk Fiskeoppdrett*, 12: 60–62.
- (102) Stamer, A. (2010): Ökologische Aquakultur: Im Spannungsfeld zwischen Praxisrealität, Richtlinien und Verbrauchererwartung. In: Der kritische Agrarbericht 2010, 94–98.
- (103) Standing Committee (2005): Standing Committee of the European Convention for the Protection of animals kept for farming

- purposes (T-AP), Recommendation concerning farmed fish. An-
genommen am 5. Dezember 2005.
- (104) Standing Committee (2008a): Standing Committee of the European Convention for the Protection of Animals kept for Farming Purposes; Draft Appendix on Common Carp (APPENDIX G) (T-AP (2006)1 FINAL) VOM 28. NOVEMBER 2008.
- (105) Standing Committee (2008b): Standing Committee of the European Convention for the Protection of Animals kept for Farming Purposes; Draft Appendix on European Eel (APPENDIX F) (T-AP (2009)4) VOM 28. NOVEMBER 2008.
- (106) Standing Committee (2008c): Standing Committee of the European Convention for the Protection of Animals kept for Farming Purposes; Draft Appendix on African Catfish (APPENDIX L) (T-AP (2009)6) VOM 5. DEZEMBER 2008.
- (107) Standing Committee (2009a): Standing Committee of the European Convention for the Protection of Animals kept for Farming Purposes; Draft Appendix on Cod (APPENDIX H) (T-AP (2009)7) VOM 23. OKTOBER 2009.
- (108) Standing Committee (2009b): Standing Committee of the European Convention for the Protection of Animals kept for Farming Purposes; Draft Appendix on Arctic Charr (T-AP (2009)8) VOM 23. OKTOBER 2009.
- (109) Standing Committee (2009c): Standing Committee of the European Convention for the Protection of Animals kept for Farming Purposes; Draft Appendix on Sea Bass and Sea Bream (APPENDIX E) (T-AP (2008)6 REV. 2) VOM 24. SEPTEMBER 2009.
- (110) Teichert-Coddington, D. R., and B. W. Green (1993): Tilapia yield improvement through maintenance of minimal oxygen concentrations in experimental grow-out ponds in Honduras. *Aquaculture*, 118: 63–71.
- (111) Toftsen, H.; Johansen, L-H.; Sommer, A-I.; damsgard, B.; Arnesen, A.M. (2006): Optimising intensive rearing conditions to secure fish welfare and health. *Fiskeriforskning Report 5/2006*; 83–89.
- (112) Torstensen, B.E.; Espe, M.; Sanden, M; Stubhaug, I.; Waagbø, R.; Hemre, G.I.; Fontanillas, R.; Nordgarden, U.; Hevröö, E.M.; Olsvik, P.; Berntssen, m.H.G. (2008): Novel production of Atlantic salmon (*Salmo salar*) protein based on combined replacement of fish meal and fish oil with plant meal and vegetable oil blends. *Aquaculture* 285: 193–200.
- (113) Turnbull, J.F., Richards, R.H., Robertson, D.A. (1996): Gross, histological and scanning electron microscopic appearance of dorsal fin rot in farmed Atlantic salmon, *Salmo salar* L., parr. *J. Fish Dis.* 19, 415–427.
- (114) Turnbull, J., Bell, A., Adams, C., Bron, J., Huntingford, F. (2005): Stocking density and welfare of cage farmed Atlantic salmon: application of a multivariate analysis. *Aquaculture* 243, 121–132.
- (115) Vazzana, M., Cammarata, M., Cooper, E.L., Parrinello, N. (2002): Confinement stress in sea bass (*Dicentrarchus labrax*) depresses peritoneal leukocyte cytotoxicity. *Aquaculture* 210, 231–243.
- (116) Verordnung (EG) Nr. 834/2007 des Rates vom 28. Juni 2007 über die ökologische/biologische Produktion und die Kennzeichnung von ökologischen/biologischen Erzeugnissen und zur Aufhebung der Verordnung (EWG) Nr. 2092/91.
- (117) Verordnung (EG) Nr. 710/2009 der Kommission vom 5. August 2009 zur Änderung der Verordnung (EG) Nr. 889/2008 mit Durchführungsvorschriften zur Verordnung (EG) Nr. 834/2007 des Rates im Hinblick auf Durchführungsvorschriften für die Produktion von Tieren und Meeressalzen in ökologischer/biologischer Aquakultur.
- (118) Vester, H. Timme, M. (2010): Call for cooperation to contain damage by Chile's salmon farms Correspondence, *Nature* 465, 869 (17 June 2010).
- (119) Volpato, G.L.; Goncalves-de-Freitas, E.; Fernandes-de-Castilho, M. (2007): Insights into the concept of fish welfare. *Dis Aqu Org*, 75: 165–171.
- (120) Wall, A.E. & Richards, R.H. (1992): Occurrence of cataracts in triploid Atlantic salmon (*Salmo salar*) on four farms in Scotland. *Vet. Rec.*, 131: 553–557.
- (121) Wendelaar Bonga, S.E. (1997): The stress response in Fish. *Physiol. Rev* 77:591–625.
- (122) Wirths, F. (2011): Zur Problematik des Tötens von Fischen siehe auch den Beitrag von Frigga Wirths in diesem Kapitel des Kritischen Agrarberichts.